According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : A-U-53 3L 3L Metal pail

Product code : 00000000050732051

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Spraying

Substance/Mixture

Coatings and related products

1.3 Details of the supplier of the safety data sheet

Company: Contact address:

BASF Coatings GmbH Postfach 6123 48136 Münster Deutschland BASF plc 4th and 5th Floors, 2 Stockport Exchange Railway Road, Stockport, SK1 3GG

United Kingdom

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

1.4 Emergency telephone

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3 H226: Flammable liquid and vapor.

Long-term (chronic) aquatic hazard, H411: Toxic to aquatic life with long lasting

Category 2 effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P273 Avoid release to the environment.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse

skin with water.

P370 + P378 In case of fire: Use dry sand, dry chemical

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

or alcohol-resistant foam to extinguish.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : acrylic resin

fillers

pigment

organic solvent

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentratio n (% w/w)
n-Butyl acetate	123-86-4 204-658-1 607-025-00-1 UK-20- 9702550300-0- 0000 UK-20- 0537843089-5- 0000 UK-20- 9642318150-0- 0000	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system)	>= 7 - < 10

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

zinc phosphate	7779-90-0	Aquatic Acute 1;	>= 7 - < 10
	231-944-3	H400	
	030-011-00-6	Aquatic Chronic 1; H410	
	UK-20- 9702550300-0- 0000 UK-20- 0537843089-5- 0000 UK-20- 9642318150-0-	M-Factor (Acute aquatic toxicity): M-Factor (Chronic aquatic toxicity): 1	
	0000		
1-methoxy-2-propylacetate	108-65-6 203-603-9 607-195-00-7 UK-20- 9702550300-0- 0000	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system)	>= 5 - < 7

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

	UK-20- 0537843089-5- 0000 UK-20- 9642318150-0- 0000		
xylene	1330-20-7	Flam. Liq. 3; H226	>= 3 - < 5
	215-535-7	Acute Tox. 4;	
	601-022-00-9	H332	
	UK-20- 2749242067-7-	Acute Tox. 4; H312	
	0000	Skin Irrit. 2; H315	
	UK-20-	Eye Irrit. 2; H319	
	9702550300-0- 0000	STOT SE 3; H335	
	UK-20- 0537843089-5-	(Respiratory system)	
	0000	STOT RE 2; H373	
	UK-20-	(Kidney, Liver,	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

	9642318150-0- 0000	Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412	
2-butoxyethyl acetate	112-07-2 203-933-3 607-038-00-2 UK-20- 0537843089-5- 0000 UK-20- 9642318150-0- 0000	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312	>= 2 - < 2.5
Substances with a workplace expos	sure limit :		
Titanium dioxide	13463-67-7 236-675-5		>= 15 - < 20

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

	UK-20- 2749242067-7- 0000	
	UK-20- 9702550300-0- 0000	
	UK-20- 0537843089-5- 0000	
	UK-20- 9642318150-0- 0000	
Kaolin	1332-58-7 310-194-1	>= 12.5 - < 15
talc	14807-96-6 238-877-9	>= 5 - < 7
	UK-20- 9702550300-0-	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

0000	
UK-20- 0537843089-5- 0000	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : First aid personnel should pay attention to their own

safety.

If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).

Immediately remove contaminated clothing.

In all cases of doubt, or when symptoms persist, seek

medical attention.

Move out of dangerous area.

Never give anything by mouth to an unconscious person.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

If inhaled : If symptoms persist, call a physician.

If breathed in, move person into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Do NOT use solvents or thinners.

In case of eye contact : If symptoms persist, call a physician.

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If swallowed : If symptoms persist, call a physician.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Do NOT induce vomiting.

Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Information, i.e. additional information on symptoms

and effects may be included in the GHS labeling phrases

available in Section 2 and in the Toxicological

assessments available in Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No known specific antidote.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing : Water spray jet

media

Dry powder

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Alcohol-resistant foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire : Fire will produce dense black smoke containing

fighting hazardous combustion products (see section 10).

Hazardous combustion

products

: Oxides of phosphorus

5.3 Advice for firefighters

Special protective : Appropriate breathing apparatus may be required.

equipment for fire-fighters

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Further information : In the event of fire, cool tanks with water spray.

Fire residues and contaminated fire extinguishing water

must be disposed of in accordance with local

regulations.

Collect contaminated fire extinguishing water separately.

This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid breathing vapours.

Keep away from sources of ignition.

Advice on product handling can be found in sections 7

and 8 of this safety data sheet.

For non-emergency personnel:

For emergency responders:

Use personal protective equipment.

Ensure adequate ventilation, especially in confined

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

areas.

6.2 Environmental precautions

Environmental precautions: Do not allow uncontrolled discharge of product into the

environment.

Avoid subsoil penetration.

If the product contaminates rivers and lakes or drains

inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see

section 13).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide good ventilation of working area (local exhaust

ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in

application area. For personal protection see section 8.

Comply with the health and safety at work laws.

When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the

exposure limits.

The workplace should be equipped with an emergency

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and

safety practice.

Do not breathe vapors or spray mist.

Advice on protection against fire and explosion

: Avoid all sources of ignition: heat, sparks, open flame. Product may charge electrostatically: always use earthing leads when transferring from one container to another and earth containers. It is recommended that operators should wear antistatic clothing and footwear. The relevant fire protection measures should be noted. Use explosion-proof equipment. Vapors are heavier than air and may spread along floors. Vapors may form

explosive mixtures with air.

Hygiene measures : Remove contaminated clothing immediately and dispose

of safely. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal

feedingstuffs.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions

: Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. Always keep in containers of same material as the original one. Observe label precautions. Keep in a

Advice on common storage: Keep away from oxidizing agents, strongly alkaline and

dry, cool and well-ventilated place.

strongly acid materials in order to avoid exothermic

reactions.

7.3 Specific end use(s)

Specific use(s) : Please refer to the technical leaflet for further

information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40	
		TWA (Respirable dust)	4 mg/m3	GB EH40	
Kaolin	1332-58-7	TWA (Respirable dust)	2 mg/m3	GB EH40	
		TWA (Respirable dust)	0.1 mg/m3	2004/37/EC	
	Further infor	formation: Carcinogens or mutagens			
n-Butyl acetate	123-86-4	TWA	150 ppm 724 mg/m3	GB EH40	
		STEL	200 ppm	GB EH40	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

			966 mg/m3	
		STEL	150 ppm	2019/1831/
			723 mg/m3	EU
	Further infor	mation: Indicative		,
		TWA	50 ppm	2019/1831/
			241 mg/m3	EU
	Further infor	mation: Indicative		
talc	14807-96-6	TWA	1 mg/m3	GB EH40
		(Respirable		
		dust)		
1-methoxy-2-	108-65-6	TWA	50 ppm	GB EH40
propylacetate			274 mg/m3	
	Further infor	mation: Can be ab	sorbed through the skin. I	he assigned
	substances are those for which there are concerns that dermal			
	absorption will lead to systemic toxicity.			
		STEL	100 ppm	GB EH40

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

			548 mg/m3			
	Further info	Further information: Can be absorbed through the skin. The assigned				
	substances a	are those for which	there are concerns that o	lermal		
	absorption	will lead to systemi	c toxicity.			
		STEL	100 ppm	2000/39/EC		
			550 mg/m3			
	Further info	rmation: Identifies	the possibility of significa	nt uptake		
	through the	skin, Indicative				
		TWA 50 ppm 20				
			275 mg/m3			
	Further info	rmation: Identifies	the possibility of significa	nt uptake		
	through the	skin, Indicative				
xylene	1330-20-7	TWA	50 ppm	GB EH40		
			220 mg/m3			
	Further info	Further information: Can be absorbed through the skin. The assigned				
	substances a	substances are those for which there are concerns that dermal				
	absorption v	will lead to systemi	c toxicity.			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

		STEL	100 ppm	GB EH40	
			441 mg/m3		
	Further info	mation: Can be ab	sorbed through the skin. 1	The assigned	
	substances a	ire those for which	there are concerns that d	ermal	
	absorption v	vill lead to systemi	c toxicity.		
		TWA	50 ppm	2000/39/EC	
			221 mg/m3		
	Further infor	mation: Identifies	the possibility of significar	nt uptake	
	through the	skin, Indicative			
		STEL	100 ppm	2000/39/EC	
			442 mg/m3		
	Further infor	mation: Identifies	the possibility of significar	nt uptake	
	through the	skin, Indicative			
2-butoxyethyl	112-07-2	TWA	20 ppm	GB EH40	
acetate			133 mg/m3		
	Further infor	Further information: Can be absorbed through the skin. The assigned			
	substances a	substances are those for which there are concerns that dermal			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

absorption will lead to systemic toxicity. STEL GB EH40 50 ppm 332 mg/m3 Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. STEL 50 ppm 2000/39/EC 333 mg/m3 Further information: Identifies the possibility of significant uptake through the skin, Indicative TWA 20 ppm 2000/39/EC 133 mg/m3 Further information: Identifies the possibility of significant uptake through the skin, Indicative

Biological occupational exposure limits

Substance name	CAS-No.	Control	Sampling time	Basis
		parameters		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

xylene	1330-20-7	methyl hippuric acid: 650	After shift	GB EH40 BAT
		Millimoles per mole creatinine		
		(Urine)		

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation.

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Required when there is a risk of eye contact.

Hand protection

Remarks : Processes should be designed in such a way, that only

disposable gloves against splashes are required, e.g.

nitrile or neoprene gloves. In case of regular or

extensive contact, a protection glove certified according to EN ISO 374-1 and made of butyl rubber (material thickness 0.5 mm) or nitrile rubber (material thickness

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

0,35 mm) or fluorinated rubber (material thickness 0,5 mm) is recommended. Suitable materials against splashes (recommended: At least protective index 1, corresponding > 10 minutes of permeation time

according to EN ISO 374-1)

Skin and body protection : Anti-static protective clothing

Personnel should wear antistatic, flame-retardant clothing made of natural fibres and/or heat-resistant

synthetic fibres.

Respiratory protection : Suitable respiratory equipment:

half-mask with A1P2 class combination filter

When workers are facing concentrations above the exposure limit they must use appropriate certified

respirators.

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Do not breathe vapour/spray.

Eye wash fountains and safety showers must be easily

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

accessible.

If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits,

appropriate certified respirators must be worn.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and

safety practice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Color : white

Odor : aromatic

pH : substance/mixture is non-soluble (in water)

Melting point/ range : not determined

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Boiling point/boiling range : 124.00 - 195.00 °C

Flash point : 31 °C

Method: ISO 3679

Evaporation rate : not determined

Upper explosion limit /

Upper flammability limit

: not determined

Lower explosion limit /

Lower flammability limit

: > 35.0 g/m

Vapor pressure : 11.6000 hPa (20 °C)

(50 °C)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date:

2.0

14.02.2025

SDS Number:

051

000000000050732

32

Date of last issue: 13.08.2024

Date of first issue: 25.05.2024

not determined

Relative vapor density : Heavier than air.

Density : 1.705 g/cm3 (20 °C)

Solubility(ies)

Water solubility : not determined

Partition coefficient: n-

octanol/water

: not applicable for mixtures

Autoignition temperature : > 200 °C

Decomposition : No decomposition if stored and handled as

temperature prescribed/indicated.

Viscosity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 0000000050732

051 Date of first issue: 25.05.2024

Viscosity, dynamic : No data available

Viscosity, kinematic : (40 °C)

not determined

411.6 mm2/s (23 °C)

Flow time : > 60 s at 23 °C

Cross section: 6 mm

Method: ISO 2431

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

9.2 Other information

Flammability (liquids) : Flammable liquid and vapour.

Self-heating substances : The substance or mixture is not classified as self heating.

Metal corrosion rate : Not corrosive to metals.

Particle size : The substance / product is marketed or used in a non

solid or granular form.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form ignitable mixture with air.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

10.4 Conditions to avoid

Conditions to avoid : Avoid direct sunlight.

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and

strongly acid materials in order to avoid exothermic

reactions.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

Test atmosphere: vapor

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

2-butoxyethyl acetate:

Acute oral toxicity : LD50 (Rat): 1,880 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 1,500 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Skin corrosion/irritation

Not classified due to lack of data.

Components:

n-Butyl acetate:

Result : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

SECTION 12: Ecological information

12.1 Toxicity

Components:

zinc phosphate:

M-Factor (Acute aquatic : 1

toxicity)

M-Factor (Chronic aquatic : 1

toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

n-Butyl acetate:

Partition coefficient: n- : Pow: 200 (25 °C)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

octanol/water log Pow: 2.3 (25 °C)

pH: 7

Method: OECD Test Guideline 117

GLP: yes

1-methoxy-2-propylacetate:

Partition coefficient: n- : log Pow: 1.2 (20 °C)

octanol/water

pH: 6.8

Method: OECD Test Guideline 117

GLP: yes

xylene:

Partition coefficient: n- : log Pow: 3.12 - 3.20 (25 °C)

octanol/water

GLP: no

Remarks: Information taken from reference works and

the literature.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

2-butoxyethyl acetate:

Partition coefficient: n- : log Pow: 1.51 (25 °C)

octanol/water

Method: OECD Test Guideline 107

GLP: no

pH: 7

Titanium dioxide:

Partition coefficient: n- : Remarks: Not applicable

octanol/water

talc:

Partition coefficient: n- : log Pow: -9.4 (25 °C)

octanol/water

pH: 7

GLP: no

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components

considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting

potential

: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not discharge into drains/surface

waters/groundwater.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Observe national and local legal requirements.

Contaminated packaging : Containers which are not properly emptied must be

disposed pursuant to Directive 2008/98/EC

Packaging that is not properly emptied must be disposed

of as the unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 1263

ADR : UN 1263

RID : UN 1263

IMDG : UN 1263

IATA : UN 1263

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

14.2 UN proper shipping name

ADN : PAINT

ADR : PAINT

RID : PAINT

IMDG : PAINT

(ZINC PHOSPHATE)

IATA : PAINT

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 3

ADR : 3

RID : 3

IMDG : 3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

IATA : 3

14.4 Packing group

ADN

Packing group : III

Classification Code : F1

Hazard Identification : 30

Number

Labels : 3

ADR

Packing group : III

Classification Code : F1

Hazard Identification : 30

Number

Labels : 3

Tunnel restriction code : (D/E)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

RID

Packing group : III

Classification Code : F1

Hazard Identification : 30

Number

Labels : 3

IMDG

Packing group : III

Labels : 3

EmS Code : F-E, <u>S-E</u>

IATA (Cargo)

Packing instruction (cargo : 366

King madaction (cargo :

aircraft)

Packing instruction (LQ) : Y344

Packing group : III

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction : 355

(passenger aircraft)

Packing instruction (LQ) : Y344

Packing group : III

Labels : Flammable liquid

14.5 Environmental hazards

ADN

Environmentally : yes

hazardous

ADR

Environmentally : yes

hazardous

RID

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Environmentally : yes

hazardous

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the

following entries should be

considered:

Number on list 72, 3, 20

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Number on list 3

Number on list 20

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations : Not applicable

(retained Regulation (EU) 2019/1021 as amended

for Great Britain)

Regulation (EC) on substances that deplete the : Not applicable

ozone layer

UK REACH List of substances subject to : Not applicable

authorisation (Annex XIV)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

P5c

Control of Major Accident Hazards

Regulations 2015 (COMAH)

E2 ENVIRONMENTAL HAZARDS

P5c FLAMMABLE LIQUIDS

Volatile organic

compounds

: Volatile organic compounds (VOC) content: 510 g/l

Directive 2010/75/EU of 24 November 2010 on

industrial emissions (integrated pollution prevention and

control)

Volatile organic compounds (VOC) content: 22.83 %

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

(requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

Details relating to the VOC Directive 2004/42/EC:

Subcategory as indicated in Annex IIB:

Limit value for maximum VOC content as specified in Annex IIB: 540 g/l VOC content of the ready-for-use product according to ISO 11890-2: 520 g/l

15.2 Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapor.

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

H312 : Harmful in contact with skin.

H315 : Causes skin irritation.

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

H336 : May cause drowsiness or dizziness.

H373 : May cause damage to organs through prolonged or

repeated exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Eye Irrit. : Eye irritation

Flam. Liq. : Flammable liquids

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure

STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a

first list of indicative occupational exposure limit values

2004/37/EC : Europe. Directive 2004/37/EC on the protection of

workers from the risks related to exposure to

carcinogens or mutagens at work

2019/1831/EU : Europe. Commission Directive 2019/1831/EU

establishing a fifth list of indicative occupational

exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 BAT : UK. Biological monitoring guidance values

2000/39/EC / TWA : Limit Value - eight hours

2000/39/EC / STEL : Short term exposure limit

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

2004/37/EC / TWA : Long term exposure limit

2019/1831/EU / TWA : Limit Value - eight hours

2019/1831/EU / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : For multi-pack systems observe material safety data

sheets of all components.

Restricted to professional users.

Classification of the mixture: Classification procedure:

Flam. Liq. 3 H226 Based on product data or

assessment

Aquatic Chronic 2 H411 Calculation method

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



A-U-53 3L 3L Metal pail

Version Revision Date: SDS Number: Date of last issue: 13.08.2024

2.0 14.02.2025 00000000050732

051 Date of first issue: 25.05.2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN